Material Safety Data Sheet

1. Product and company identification

Product name

PENETRATING AGENT PLUS

MSDS# 100

Product use

: Proprietary Solvent.

AMERIPOLISH, INC

120 COMMERCIAL AVE LOWELL, AR 72745

TELEPHONENUMBERSTransportationEmergencyCompany:(800) 592-9320CHEMTREC:(800) 424-9300General MSDSAssistance: (479) 899-3060Technical Information:(479) 899-3060

E-MAIL: ccabot@ameripolish.co

Validation date : 3/27/2012.

In case of emergency

Spills Leaks Fire or Exposure Call Chemtrec: (800) 424-9300

2. Hazards identification

Physical state	Liquid
Odor	Faint odor.
OSHA/HCS status	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Emergency overview	CAUTION!
	MAY CAUSE EYE IRRITATION. ASPIRATION HAZARD IF SWALLOWED CAN ENTER LUNGS AND CAUSE DAMAGE. CONTAMINATION BY MOISTURE WILL RESULT IN A PRESSURE BUILD-UP IN SEALED CONTAINERS.
	Slightly irritating to the eyes. Avoid breathing vapor or mist. Avoid contact with eyes. Wash thoroughly after handling. Aspiration hazard if swallowed. Can enter lungs and cause damage.
GENERAL INFORMATION :	Read the entire MSDS for a more thorough evaluation of the hazards.

3. Composition/information on ingredients

<u>Name</u> Penetrating Agent Plus		CAS number proprietary	60 100
4. First aid measu	res		
Eye contact	Immediately flush eyes with plenty of water, occasior eyelids. Check for and remove any contact lenses. minutes. Get medical attention.		
Skin contact	Flush contaminated skin with plenty of water. Remo Get medical attention if symptoms occur. Wash cl thoroughly before reuse.		
Inhalation	Move exposed person to fresh air. Keep person warr breathing is irregular or if respiratory arrest occurs, prov trained personnel. It may be dangerous to the person p mouth resuscitation. Get medical attention if adverse unconscious, place in recovery position and get medical open airway. Loosen tight clothing such as a collar, tig	ide artificial respiration roviding aid to give r health effects persist al attention immediate	on or oxygen by nouth-to- tor are severe. If
Ingestion	Wash out mouth with water. Move exposed person to swallowed. Can enter lungs and cause damage. Do n attention. Never give anything by mouth to an uncons	ot induce vomiting.	
Notes to physician	No specific treatment. Treat symptomatically. Call me immediately if large quantities have been ingested.	edical doctor or poise	on control center

5. Fire-fighting measures

Flash point	Closed cup: over <100°C
Products of combustion	No specific data.
Extinguishing media	1
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	None known.
Special exposure hazards	No specific hazard.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Methods for cleaning up	If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

7. Handling and storage

Handling	Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Storage	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

Preventive Measures	Conditions of use, adequacy of engineering or other control measures, and actual exposures will dictate the need for specific protective devices at your workplace.
Engineering controls	Use local exhaust ventilation to maintain airborne concentrations below the TLV. Suitable respiratory equipment should be used in cases of insufficient ventilation or where operational procedures demand it. For guidance on engineering control measures refer to publications such as the ACGIH current edition of 'Industrial Ventilation, a manual of Recommended Practice.'
Personal protection	
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

9. Physical and chemical properties

General information Appearance Liquid. [Liquid.] Physical state Color Colorless. Odor Faint odor. Odor threshold Not available. Important health, safety and environmental information pН 7 Boiling point over <200°C -49°C Melting point Flash point Closed cup: over <100°C

9. Physical and chemical properties

Oxidizing properties Vapor pressure	Not available. 0.0031 kPa	
Relative density	1.2	
Solubility	Soluble in the following materials: cold water, methanol, diethyl ethe	r.
Octanol/water partition coefficient	Not available.	
Viscosity	Kinematic: 0.016 cm2/s	
Vapor density	3.5 [Air = 1]	
Auto-ignition temperature	over 400°C	
VOC content	VOC Exempt	

10. Stability and reactivity

Stability and reactivity	: The product is stable.
Hazardous polymerization	: Will not occur.
Hazardous decomposition	: No specific data.
products	

11 . Toxicological information

Toxicity data

Acute toxicity				
Product/ingredient name	test	Species	Result	Exposure
Proprietary	LD50 Dermal	Rabbit	>2000 mg/kg	
	LD50 Oral	Rat	>5000 mg/kg	

Potential acute health effects

Ingestion	: Practically non-toxic if swallowed.
Inhalation	: No known significant effects or critical hazards.
Eyes	: Slightly irritating to the eyes.
Skin	: Practically non-toxic in contact with skin.

Potential chronic health effects

Target organs	. None known.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.

12. Ecological information

Aquatic ecotoxicity

Product/ingredient name	test	Result	Species	Exposure
Proprietary		Acute EC50	Daphnia	48 hours
		>1000 mg/L		
		Acute LC50	Fish	96 hours
		>1000 mg/L		
		Acute EC50 >900	Algae	72 hours
		mg/L		

12. Ecological information

Biodegradability

Product/ingredient name Proprietary	test	Result >60 % Readily 28 days	Dose	Inoculum
<u>Product/ingredient name</u> Proprietary	<u>Aquatic half-life</u> -	<u>Photolysi</u>	<u>s</u>	<u>Biodegradability</u> Readily
<u>Bioaccumulative potential</u> <u>Product/ingredient name</u> Proprietary	Lo Pow -0.41	BCF		<u>Potential</u> low

Environmental effects : Readily biodegradable

13 . Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

14. Transport information

Transportation Emergency Number 1-800-424-9300 (CHEMTREC).

Regulatory information	UN number Proper shipping name	Class	PG* Label	Additional information
DOT Classification	Not regulated.			-
TDG Classification	Not regulated.			-
IMDG Class	Not regulated.	-	-	-
IATA-DGR Class	Not regulated.	-	-	-

PG*: Packing group

15. Regulatory information

 United States

 HCS Classification
 : Not regulated.

 U.S. Federal regulations
 : United States inventory (TSCA8b): All components are listed or exempted.

 CERCLA: Hazardous substances.
 : No ingredients listed.

 SARA 313
 No ingredients listed.

 This product does not contain nor is it manufactured with ozone depleting substances.

California Prop 65

15. Regulatory information

WARNING: This product contains a chemical known to the State of California to cause cancer.

<u>Canada</u>

WHMIS (Canada)	Class D-2B: Material causing other toxic effects (Toxic).
CEPA (DSL)	Canada inventory: All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the CPR (Controlled Products Regulations) and this MSDS (Material Safety Data Sheet) contains all the information required by the CPR.

16. Other information

Label requirements

MAY CAUSE EYE IRRITATION. ASPIRATION HAZARD IF SWALLOWED CAN ENTER LUNGS AND CAUSE DAMAGE. CONTAMINATION BY MOISTURE WILL RESULT IN A PRESSURE BUILD-UP IN SEALED CONTAINERS.

Hazardous Material Information System (U.S.A.)

Fire hazard	1
Flammability	0
Health	1
Instability	0

National Fire Protection Association (U.S.A.)

Date o	f pri	inting
--------	-------	--------

Date of issue	:	3/25/2009.
Date of previous issue	:	25 March 2009
Notice to reader	:	7/2/2008

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED AMERIPOLISH.EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR AMERIPOLISH PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAYBE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM MERIPOLISH, INC. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO AMERIPOLISH, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.

16. Other information

Trademarks: PENETRATING AGENT PLUS is a registered trademark of AMERIPOLISH, INC. in one or more countries, but not all countries.

17 Indicates information that has changed from previously issued version.