Dynamic Coatings Inc. | (877) 225-2549 | www.dciflooring.com



Hazardous Polymerization

Will Not Occur

None known.

## Material Safety **Data Sheet**

Date Prepared 08/11/2014 95 Goodwin Street, East Hartford, CT., 06108 (860) 528-9838 Health 3 **SECTION I - IDENTIFICATION** 1 Flammability 1 = Slight Dur-A-Glaze #4 WB Primer-Sealer Hardener IDENTITY (As Used on Label) 2 = Moderate Reactivity 3 = High**Emulsified Amine Curative** 4 = Extreme COMMON NAME Personal Protectio SECTION II - PRODUCT COMPONENTS CAS.# **OSHA PEL ACGIH TLV** 7732-18-5 N.E. 1 Water N.E. Proprietary <sup>2</sup> Polyamine Curative N.E. N.E. Modified Epoxy Resin Adhesion Promotor Proprietary N.E. N.E. None Established The manufacturer of the component states that they will provide additional information to a health professional in the event of a medical emergency. T.S.C.A. Status - O.K. on all above components. \*FOR SPILL, LEAK, FIRE, OR ACCIDENT, CALL CHEMTREC 24-HOUR EMERGENCY NUMBER 1-800-424-9300\* SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS Specific Gravity (H2O = 1) **Boiling Point** >400°F 1.07 Vapor Pressure (mm Hg) not known Melting Point N/A Vapor Density (AIR = 1) Evaporation rate (Butyl Acetate = 1) not known not known Volatile Organic Compounds (VOC) = < 2 grams/liter Solubility in Water Soluble Appearance and Odor Pale yellow viscous liquid. Mild ester-like odor. SECTION IV - FIRE and EXPLOSION HAZARD DATA Flash Point (Closed Cup Method) Flammable Limits LEL UEL 212°F N/A N/A Extinguishing Media Water spray, Foam, CO2, Dry Chemicals. Special Firefighting Procedures Wear full protective equipment including self-contained breathing apparatus. Unusual Fire and Explosion Hazards Cool storage containers with water spray to prevent pressure build-up that may rupture the containers. Combustion products may be toxic. **SECTION V - REACTIVITY DATA** Conditions to Avoid Stability Unstable Stable None known Incompatibility (Materials to Avoid) None known Hazardous Decomposition or Byproducts By Fire - Carbon monoxide, Carbon dioxide, Nitrogen oxides. Conditions to Avoid May Occur

## SECTION VI - HEALTH HAZARD DATA Route(s) of Entry: Inhalation? Skin? Ingestion? YES YES YES Irritation of skin. Signs and Symptoms of Exposure Health Hazards (Acute and Chronic) ACUTE - Irritation of skin and dermatitis. CHRONIC - Repeated overexposure will cause severe skin irritation, dermatitis and sensitization. Sensitized persons may experience rapid irritation of skin upon exposure. Persons with lung disorders or who are sensitized should not use this product. NTP? IARC Monographs? OSHA Regulated? Carcinogenicity: NO NO NO Medical Conditions Generally Aggravated by Exposure Allergy, skin disorders Emergency and First Aid Procedures EYES - Flush with water, holding lids open for 15 minutes or more. Call physician for advice if necessary. SKIN - PROMPTLY wash with soap and water. DO NOT wash with solvents. Seek medical advice if irritation develops or persists. INHALATION - Move person to fresh air if effects occur. If needed, give oxygen or artificial respiration to improve breathing. Consult physician. INGESTION - Get medical attention immediately. Never give liquids to an unconscious or convulsing person. SECTION VII - CONTROL MEASURES Respiratory Protection (Specify Type) Provide adequate exhaust ventilation; use a NIOSH approved respirator if PELS/TLVS are exceeded. Ventilation Local Exhaust Special If needed. None known. Mechanical Adequate exhaust ventilation must exhaust AWAY from applicator. Protective Gloves Eye Protection Natural rubber or Neoprene. Splash goggles or face shield. Other Protective Clothing or Equipment Use rubber apron, face shield and appropriate clothing to prevent contact with skin. Launder contaminated clothing before reuse. Discard contaminated leather shoes and canvas sneakers. Protective skin creams help cleaning with soap and water, but gloves must still be worn. An eye wash station or an adequate supply of clean water must be available at work area. Work/Hygienic Practices Enforce careful handling to prevent splashing. Wash thoroughly after use. SECTION VIII - PRECAUTIONS FOR SAFE HANDLING AND USE Steps to be Taken in Case Material is Released or Spilled Wear protective equipment to prevent exposure. Stop spill and dike to prevent spreading. Cover spill with absorbent materials and collect into containers. Clean contaminated area with detergent and water or a steam cleaner for best results. Waste Disposal Method Dispose in accordance with Federal, State and Local requirements. Precautions to be Taken in Handling and Storing Keep containers tightly closed when not in use. Other Precautions NONE KNOWN. Prepared by Murty Bhamidipati PLEASE "The above information is accurate to the best of our knowledge, However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse, are beyond our control, Dur-A-Flex, Inc. MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED. WITH NOTE RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN AND DISCLAIMS ALL LIABILITY

FOR RELIANCE THEREON. User should satisfy himself that he has all current data relevant to his particular use."



## Material Safety Data Sheet

95 Goodwin Street, East Hartford, CT., 06108 (860) 528-9838

Date Prepared 8/11/14

						HAZARD RATING	Health	1
SECTION	I - IDENTIF	ICATIC	N			0 = Least 1 = Slight	Flammability	1
IDENTITY (As Used on Label) Dur-A-Glaze #4 RESIN/ Bio-Pruf®						2 = Moderate 3 = High	Reactivity	0
COMMON NAM	E		Epoxy Resin			4 = Extreme	Personal Protection	G
SECTION II - PRODUCT COMPONENTS CAS.#						OSHA PEL	ACGIH TLV	
Diglycidyl Ether Bisphenol A Epoxy Resin					25085-99-8	N.E. <sup>1</sup>	N.E.	
Aliphatic Glyc	idyl Ether Dilu	ent			68609-97-2	N.E.	N.E.	
Film Additives					Proprietary <sup>2</sup>	N.E.	N.E.	
<sup>1</sup> Not Establish	ed							
<sup>2</sup> The manufact	urer of these co	mponent	states that the	y will provide	additional information to a l	health professional	in the	
event of an er	mergency.							
T.S.C.A. Statu	s - O.K. on all	above co	mponents.					
*FOR SPILL	, LEAK, FIRE	e, OR AC	CCIDENT, CA	LL CHEMT	REC 24-HOUR EMERGE	NCY NUMBER	1-800-424-9300*	:
SECTION	III - PHYSIC	CAL/CH	IEMICAL C	HARACT	ERISTICS			
Boiling Point				N/A	Specific Gravity (H2O = 1)		>1	
Vapor Pressure (mm Hg)				N/A	Melting Point		N/A	
Vapor Density (AIR = 1)				N/A	Evaporation rate (Butyl Acetate	N/A		
Volatile Organic Compounds (VOC)				0 g/L				
Solubility in Water None					•			
Appearance and Odor Viscous liquid. Mild characteristic odor.								
SECTION	IV - FIRE a		•					
					Flammable Limits	LEL	UEL	
	ou oup momou,			485°F	i idiiiiidala Eiiiild	N/A	N/A	
Extinguishing Me	edia		Foam CO <sub>2</sub> I		Water Spray.	1471	14/1	
Special Firefighti			1 0am, CO <sub>2</sub> , 1	ory Chemical,	water Spray.			
Firefichters sh	ould wear full	amargana	y aquinment w	ith salf contain	ned breathing apparatus.			
Thenghers sh	ould wear full	cincigene	y equipment w	itii scii-conta	med oreadning apparatus.			
Unusual Fire and	d Explosion Haza	rds						
Cool fine over	accad contains	e rrith oo	ld resotan amnore	to muovont muo	seessee build up that may mun	ture the		
_				to prevent pre	essure build - up that may rup	iture the		
	mbustion prod							
	V - REACT	IVIIYL	Conditions to Av	/oid				
Stability	Unstable							
1	Stable	X			eriods of time degrades the re-	sin.		
Incompatibility (Materials to Avoid) Uncontrolled reaction with amines.								
Hazardous Decomposition or Byproducts Fire- Carbon Monoxide, Carbon Dioxide, Nitrogen Oxide, Aldehydes.  Conditions to Avoid								
i iazai dods	May Occur		Conditions to AV	/OIG				
Polymerization	Will Not Occur	X	Uncontrolled	reaction with	amines.			

## SECTION VI - HEALTH HAZARD DATA Route(s) of Entry: Inhalation? Skin? Ingestion? YES YES YES Irritation on skin. Signs and Symptoms of Exposure Health Hazards (Acute and Chronic) ACUTE - Irritation on skin and dermatitis. CHRONIC - Repeated overexposure will cause severe skin irritation, dermatitis and sensitization. Sensitized persons may experience rapid irritation of skin upon exposure. Carcinogenicity: NTP? IARC Monographs? OSHA Regulated? NO NO NO Medical Conditions Generally Aggravated by Exposure Allergy, skin disorders. **Emergency and First Aid Procedures** EYES - Flush with water, holding lids open for 15 minutes or more. Call physician for advice if necessary. SKIN - PROMPTLY wash with soap and water. DO NOT wash with solvents. Seek medical advice if irritation develops or persists. INHALATION - Move person to fresh air if effects occur. If needed, give oxygen or artificial respiration to improve breathing. Consult physician. INGESTION - Get medical attention immediately. Never give liquids to an unconscious or convulsing person. Note: Persons with lung disorders or who are sensitized should not use this product. SECTION VII - CONTROL MEASURES Respiratory Protection (Specify Type) Provide adequate exhaust ventilation; use a NIOSH - approved respirator if PELS/TLVS are exceeded. Ventilation Local Exhaust If needed. Special None known. Mechanical Adequate exhaust ventilation must exhaust AWAY from applicator. Protective Gloves Natural or Neoprene gloves. Eye ProtectionSplash goggles or face shield. Other Protective Clothing or Equipment Use rubber apron, face shield and appropriate clothing to prevent contact with skin. Launder contaminated clothing before reuse. Discard contaminated leather shoes and canvas sneakers. Protective skin creams help cleaning with soap and water, gloves must be still be worn. An eye wash station or an adequate supply of clean water must be available at work area. Work/Hygienic Practices Enforce careful handling to prevent splashing. Wash thoroughly after use. SECTION VIII - PRECAUTIONS FOR SAFE HANDLING AND USE Steps to be Taken in Case Material is Released or Spilled Wear protective equipment to prevent exposure. Stop spill and dike to prevent spreading. Cover spill with absorbent materials and collect into containers. Clean contaminated area with detergent and water or a steam cleaner for best results. Waste Disposal Method Dispose in accordance with Federal, State, and Local requirements. Precautions to be Taken in Handling and Storing Keep containers tightly closed when not in use. Other Precautions NONE KNOWN. Prepared by Murty Bhamidipati "The above information is accurate to the best of our knowledge. However, since data, safety standards, and government regulations are subjec **PLEASE** to change and the conditions of handling and use, or misuse, are beyond our control, Dur-A-Flex, Inc. MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED NOTE HEREIN AND DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON. User should satisfy himself that he has all current data relevant to his

particular use.