SAFETY DATA SHEET PROSOCO, Inc.



Issue Date 08-Jan-2015 Revision Date 02-Jul-2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Defacer Eraser® Graffiti Wipe

Other means of identification

Product Code 57056

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

8:00 AM - 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC) 785-865-4200 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation Category 2

Label elements

Emergency Overview

Warning

Hazard statements

Causes serious eye irritation



Appearance clear Physical state Liquid Odor sweet

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified (HNOC)

Other Information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% | Trade Secret |
|------------------------------------|-------------|----------|--------------|
| Benzyl Alcohol | 100-51-6 | 10 - 30 | * |
| Dibasic Ester | Proprietary | 10 - 30 | * |
| 4 Methyl, 1-3 Dioxolan 2 one | 108-32-7 | 10 - 30 | * |
| 3-Ethoxypropionic acid ethyl ester | 763-69-9 | 10 - 30 | * |
| Water | 7732-18-5 | 7 - 13 | * |
| Proplene Glycol monomethyl ether | 107-98-2 | 5 - 10 | * |
| Alcohols, C9-11, ethoxylated | Proprietary | 3 - 7 | * |

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin Contact Wash off immediately with plenty of water while removing contaminated clothing and shoes.

If skin irritation persists, call a physician.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration.

Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If

symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth

to an unconscious person. If symptoms persist, call a physician.

Self-protection of the first aiderUse personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye irritation. Causes skin irritation.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition.

......

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

people away from and upwind of spill/leak.

Environmental precautions

Environmental precautions Do not flush into surface water or sanitary sewer system. Prevent further leakage or

spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional

ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using

this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled

containers. Keep out of the reach of children.

Incompatible materials Acids. Strong oxidizing agents. Isocyanates. Acetaldehyde. Aluminum compounds.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Exposure Guidelines | | | |
|----------------------------------|---------------|---------------------------------------|-----------------------------|
| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
| Proplene Glycol monomethyl ether | STEL: 150 ppm | (vacated) TWA: 100 ppm | TWA: 100 ppm |
| 107-98-2 | TWA: 100 ppm | (vacated) TWA: 360 mg/m ³ | TWA: 360 mg/m ³ |
| | | (vacated) STEL: 150 ppm | STEL: 150 ppm |
| | | (vacated) STEL: 540 mg/m ³ | STEL: 540 mg/m ³ |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

sweet

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Odor

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid clear

Color colorless Odor threshold No information available

PropertyValuesRemarks • MethodpHNot ApplicableNot Applicable

pH Not Applicable Not Applicable

Melting point/freezing point No information available Not Applicable

Not Applicable Not Applicable

Boiling point/boiling range No information available Flash point No information available > 94 $^{\circ}$ C / > 200 $^{\circ}$ F ASTM D 3278

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limitsNo information availableLower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information available

Specific Gravity 1.04

Water solubility partially soluble

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat.

Incompatible materials

Acids. Strong oxidizing agents. Isocyanates. Acetaldehyde. Aluminum compounds.

Hazardous Decomposition Products

Hazardous combustion products. Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Causes serious eye damage Irritating to skin

Inhalation Avoid breathing vapors or mists.

Eye contact Avoid contact with eyes. Causes serious eye irritation.

Skin Contact Avoid contact with skin. Causes skin irritation.

Ingestion Do not taste or swallow. May be harmful if swallowed.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|---------------------|--------------------------|---|
| Benzyl Alcohol 100-51-6 | = 1230 mg/kg (Rat) | = 2000 mg/kg (Rabbit) | = 8.8 mg/L (Rat) 4 h |
| Dibasic Ester | = 8191 mg/kg (Rat) | - | > 5.6 mg/L (Rat)4 h |
| 4 Methyl, 1-3 Dioxolan 2 one 108-32-7 | = 29000 mg/kg (Rat) | > 20000 mg/kg (Rabbit) | - |
| 3-Ethoxypropionic acid ethyl ester 763-69-9 | = 3200 mg/kg (Rat) | = 10 mL/kg (Rabbit) | - |
| Water 7732-18-5 | > 90 mL/kg (Rat) | - | - |
| Proplene Glycol monomethyl ether 107-98-2 | = 5200 mg/kg (Rat) | = 13000 mg/kg (Rabbit) | = 54.6 mg/L (Rat) 4 h > 24 mg/L Rat) 1 h |
| Alcohols, C9-11, ethoxylated | = 1378 mg/kg (Rat) | > 2 g/kg (Rabbit) | - |

Information on toxicological effects

Symptoms Causes serious eye damage. Causes skin irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.Reproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.

Target Organ Effects central nervous system, Eyes, Respiratory system, Skin.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 2851 mg/kg

 ATEmix (dermal)
 6026 mg/kg mg/l

ATEmix (inhalation-dust/mist) 6 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Nam | е | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---------------------------|---|--|--|----------------------------|----------------------------------|
| Benzyl Alcoho 100-51-6 | | 35: 3 h Anabaena variabilis mg/L EC50 | 460: 96 h Pimephales promelas mg/L LC50 static | - | 23: 48 h water flea mg/L EC50 |

| | | 10: 96 h Lepomis macrochirus mg/L LC50 static | | |
|---|--|---|---|--|
| Dibasic Ester | - | 19.6 - 26.2: 96 h Pimephales promelas mg/L LC50 static | - | 122.1 - 163.5: 48 h Daphnia magna mg/L EC50 |
| 4 Methyl, 1-3 Dioxolan 2 one 108-32-7 | 500: 72 h Desmodesmus subspicatus mg/L EC50 | 5300: 96 h Leuciscus idus mg/L LC50 static 1000: 96 h Cyprinus carpio mg/L LC50 semi-static | - | 500: 48 h Daphnia magna mg/L EC50 |
| 3-Ethoxypropionic acid ethyl ester 763-69-9 | - | 62: 96 h Pimephales promelas mg/L LC50 static | - | 970: 48 h Daphnia magna mg/L EC50 |
| Proplene Glycol monomethyl ether 107-98-2 | - | 20.8: 96 h Pimephales promelas g/L LC50 static 4600 - 10000: 96 h Leuciscus idus mg/L LC50 static | - | 23300: 48 h Daphnia magna mg/L EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical Name | Partition coefficient |
|--|-----------------------|
| Benzyl Alcohol 100-51-6 | 1.1 |
| 4 Methyl, 1-3 Dioxolan 2 one 108-32-7 | 0.48 |
| 3-Ethoxypropionic acid ethyl ester 763-69-9 | 1.35 |
| Proplene Glycol monomethyl ether 107-98-2 | -0.437 |

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 | |
|---------------------------|--------------------------------------|--|
| Methanol - 67-56-1 | Developmental | |
| Toluene - 108-88-3 | Developmental Female Reproductive | |
| Ethyl acrylate - 140-88-5 | Carcinogen | |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|----------------------------------|------------|---------------|--------------|
| Proplene Glycol monomethyl ether | X | X | X |
| 107-98-2 | | | |

16. OTHER INFORMATION

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 2 Flammability 0 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

 Issue Date
 08-Jan-2015

 Revision Date
 02-Jul-2015

Revision Note

SDS sections updated 3 15

Disclaimer

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to

source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet