SAFETY DATA SHEET PROSOCO, Inc.

Issue Date 19-Jan-2015

Revision Date 19-Jan-2015

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product Name

Enviro Klean® SafEtch

Other means of identificationProduct Code41021UN/ID NoUN3265

Recommended use of the chemical and restrictions on useRecommended UseRestricted to professional users.Uses advised againstNo information available

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)

785-865-4200 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label elements


Danger

Emergency Overview

Hazard statements Fatal if inhaled Causes severe skin burns and eye damage



41021 Enviro Klean® SafEtch



Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wear respiratory protection Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Water	7732-18-5	30 - 60	*
Proprietary Organic Salt	Proprietary	15 - 40	*
Dipropylene glycol monomethyl ether	34590-94-8	3 - 7	*
N-Methyl-2-2pyrrolidone	872-50-4	1 - 5	*
1-Butoxy-2-proponal	5131-66-8	1 - 5	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures		
General advice	Immediate medical attention is required.	
Eye contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.	
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.	
Inhalation	Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.	
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effect	cts, both acute and delayed	
Symptoms	Causes severe burns. Fatal if inhaled. May be harmful if swallowed.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.	
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. After cleaning, flush away traces with water.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep out of the reach of children. Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers.	
Incompatible materials	Incompatible with strong acids and bases. Incompatible with oxidizing agents.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dipropylene glycol monomethyl ether	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
34590-94-8	TWA: 100 ppm	TWA: 600 mg/m ³	TWA: 100 ppm
	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m ³
		(vacated) TWA: 600 mg/m ³	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m ³
		(vacated) STEL: 900 mg/m ³	_
		(vacated) S*	
		S*	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).
Appropriate engineering controls	
Engineering Controls	Brush on or apply at the lowest practical pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry surfaces. Application equipment, scaffolding, swing stages and support systems must be constructed of acid resistant materials.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear protective gloves and protective clothing.

Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance	Liquid clear purple	Odor	Pleasant
Color	purple	Odor threshold	No information available
Color Property pH Melting point/freezing point Boiling point/boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limits Lower flammability limit Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature	purple Values 1 -30 °C / -22 °F No information available No information available		No information available
Decomposition temperature Kinematic viscosity Dynamic viscosity	No information available No information available No information available		
Dynamic viscosity			

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Causes burns Fatal if inhaled Harmful if swallowed
Inhalation	Avoid breathing vapors or mists. Fatal if inhaled.
Eye contact	Causes serious eye damage. Causes burns.
Skin Contact	Causes burns.
Ingestion	May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Dipropylene glycol monomethyl ether 34590-94-8	= 5230 mg/kg(Rat)	= 9500 mg/kg (Rabbit)	-
N-Methyl-2-2pyrrolidone 872-50-4	= 3598 mg/kg (Rat)	= 2500 mg/kg (Rat)> 5000 mg/kg (Rabbit)	= 3.1 mg/L (Rat)4 h
1-Butoxy-2-proponal 5131-66-8	= 5660 μL/kg (Rat)	= 3100 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms

The product causes burns of eyes, skin and mucous membranes. Fatal if inhaled.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP. This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B).
Reproductive toxicity STOT - single exposure STOT - repeated exposure Chronic toxicity	No information available. No information available. No information available. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.
Target Organ Effects Aspiration hazard	central nervous system, Eyes, Respiratory system, Skin. No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity	2.951% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated	based on chapter 3.1 of the GHS document
ATEmix (oral)	2773 mg/kg
ATEmix (dermal)	32859 mg/kg

ATEmix (inhalation-gas)	11527 mg/l
ATEmix (inhalation-dust/mist)	83 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Dipropylene glycol monomethyl ether 34590-94-8	-	10000: 96 h Pimephales promelas mg/L LC50 static	-	1919: 48 h Daphnia magna mg/L LC50
N-Methyl-2-2pyrrolidone 872-50-4	500: 72 h Desmodesmus subspicatus mg/L EC50	832: 96 h Lepomis macrochirus mg/L LC50 static 4000: 96 h Leuciscus idus mg/L LC50 static 1072: 96 h Pimephales promelas mg/L LC50 static 1400: 96 h Poecilia reticulata mg/L LC50 static	-	4897: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Dipropylene glycol monomethyl ether 34590-94-8	-0.064
N-Methyl-2-2pyrrolidone 872-50-4	-0.46

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D002

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT_ UN/ID No	Regulated UN3265
Proper shipping name	Corrosive liquid, acidic, organic, n.o.s. (Contains Urea Salts)
Hazard Class	8
Packing Group	II

<u>IATA</u>

Forbidden Vented closure

15. REGULATORY INFORMATION

International Inventories TSCA DSL/NDSL Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Complies

Complies

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Dipropylene glycol monomethyl ether - 34590-94-8	34590-94-8	3 - 7	1.0
N-Methyl-2-2pyrrolidone - 872-50-4	872-50-4	1 - 5	1.0
SARA 311/312 Hazard Categories			
Acute health hazard	Yes		
Chronic Health Hazard	Yes		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
N-Methyl-2-2pyrrolidone - 872-50-4	Developmental
formaldehyde - 50-00-0	Carcinogen
U.S. State Right-to-Know Regulations	

U.S. State Right-to-Know Regulations

Chemical Name New Jersey Massachusetts Pennsylv	ania
---	------

Dipropylene glycol monomethyl ether 34590-94-8	Х	Х	Х
N-Methyl-2-2pyrrolidone 872-50-4	Х	Х	Х
propargyl alcohol 107-19-7	Х	Х	Х

16. OTHER INFORMATION				
<u>NFPA</u>	Health hazards 3	Flammability 0	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection X
Prepared By Regulatory Department ssue Date 19-Jan-2015 Revision Date 19-Jan-2015 Revision Note				
		-	n compiled from data cons ertain properties are knowr	sidered accurate. This data n to vary from source to

is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet