# SAFETY DATA SHEET PROSOCO, Inc.

Issue Date 02-Sep-2014

Revision Date 02-Sep-2014

Version 1

PROSOCO

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product Name PROSOCO R

PROSOCO R-Guard® EMERGENCY WaterStop

Other means of identification Product Code

Recommended use of the chemical and restrictions on useRecommended UseRestricted to professional users.Uses advised againstNo information available

70460

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)

785-865-4200 800-535-5053

Category 1B

# 2. HAZARDS IDENTIFICATION

# **Classification**

Reproductive toxicity

#### Label elements

	Emergency Overview	
Danger		
Hazard statements May damage fertility or the unborn child		
Appearance paste	Physical state paste	Odor Mild

# **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

# **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

# **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other Information

• Very toxic to aquatic life with long lasting effects

Toxic to aquatic life

1.42253% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%	Trade Secret
Limestone	1317-65-3	10 - 30	*
Proprietary - Silyl Terminated Polyether	Undisclosed	10 - 30	*
Polypropylene glycol	25322-69-4	10 - 30	*
Precipitated Calcium Carbonate	471-34-1	10 - 30	*
Stearic acid	57-11-4	1 - 5	*
diisononyl phthalate	28553-12-0	1 - 5	*
Aminoethyl aminopropyl trimethoxy silane	1760-24-3	1 - 5	*
Titanium dioxide	13463-67-7	1 - 5	*
Dibutyltin Diacetyldiacetonate	22673-19-4	0.1 - 1	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First aid measures	
General advice	If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Skin Contact	Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.

Self-protection of the first aider Use personal protective equipment as required.

## Most important symptoms and effects, both acute and delayed

Symptoms Harmful if swallowed.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

## Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire	Dry chemical or CO2. Foam.	
Large Fire	Water spray or fog. Foam.	

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required.	
Environmental precautions		
Environmental precautions	Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional ecological information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Cover liquid spill with sand, earth or other non-combustible absorbent material. Pick up and transfer to properly labeled containers.	

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingAvoid contact with skin, eyes or clothing. Use personal protective equipment as required.<br/>Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray.<br/>Do not eat, drink or smoke when using this product.

## Conditions for safe storage, including any incompatibilities

## **Storage Conditions**

s Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

Incompatible materials

Acids. Incompatible with oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

## **Exposure Guidelines**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Limestone 1317-65-3	-	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Precipitated Calcium Carbonate 471-34-1	-	-	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Titanium dioxide 13463-67-7	TWA: 10 mg/m³	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m <sup>3</sup>
Dibutyltin Diacetyldiacetonate 22673-19-4	STEL: 0.2 mg/m³ Sn TWA: 0.1 mg/m³ Sn S*	TWA: 0.1 mg/m <sup>3</sup> Sn (vacated) TWA: 0.1 mg/m <sup>3</sup> Sn (vacated) S*	IDLH: 25 mg/m³ Sn TWA: 0.1 mg/m³ except Cyhexatin Sn

NIOSH IDLH Immediately Dangerous to Life or Health

## **Other Information**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

# Appropriate engineering controls

Engineering Controls	Showers	
	Eyewash stations	
	Ventilation systems.	

### Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

hysical state ppearance olor	paste paste blue	Odor Odor threshold	Mild No information available
ppearance	paste		

Property	<u>Values</u>
рН	Not Ap
Melting point/freezing point	No info
Boiling point/boiling range	No info
Flash point	> 94 °
Evaporation rate	No info
Flammability (solid, gas)	No info
Flammability Limits in Air	
Upper flammability limits	No info
Lower flammability limit	No info
Vapor pressure	No info
Vapor density	No info
Specific Gravity	1.5-1.7
Water solubility	slightly
Solubility in other solvents	No info
Partition coefficient	No info
Autoignition temperature	No info
Decomposition temperature	No info
Kinematic viscosity	No info
Dynamic viscosity	No info
Explosive properties	Not Ap
Oxidizing properties	Not Ap

.... S plicable ormation available ormation available °C / > 200 °F ormation available ormation available ormation available ormation available ormation available ormation available soluble ormation available ormation available ormation available ormation available ormation available ormation available plicable plicable

Remarks • Method Not Applicable Not Applicable

# **10. STABILITY AND REACTIVITY**

#### Reactivity No data available

Chemical stability

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

#### Incompatible materials

Acids. Incompatible with oxidizing agents.

## Hazardous Decomposition Products

Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	May be harmful by inhalation, ingestion, or skin absorption
Inhalation	Avoid breathing vapors or mists.
Eye contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.

# 70460 PROSOCO R-Guard® EMERGENCY WaterStop

## Ingestion

Do not taste or swallow.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Polypropylene glycol 25322-69-4	> 2 g/kg (Rat)	-	-
Precipitated Calcium Carbonate 471-34-1	= 6450 mg/kg (Rat)	-	-
Stearic acid 57-11-4	-	> 5 g/kg (Rabbit)	-
diisononyl phthalate 28553-12-0	> 9750 mg/kg (Rat)	-	> 4.4 mg/L (Rat)4 h
Aminoethyl aminopropyl trimethoxy silane 1760-24-3	= 7460 μL/kg (Rat)	-	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-

## Information on toxicological effects

Symptoms

Contact with eyes may cause irritation. Also harmful by inhalation, in contact with skin and if swallowed.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity					
Chemical Name	ACGIH	IARC	NTP	OSHA	
Titanium dioxide 13463-67-7	-	Group 2B	-	Х	
Group 1 - Carcinogenic to Group 2B - Possibly Carc Not classifiable as a hum NTP (National Toxicolog Known - Known Carcinog	ncy for Research on Cance o Humans inogenic to Humans an carcinogen gy Program) ien	r) tion of the US Department of	f Labor)		
Reproductive toxicity	No informatio	n available.			
STOT - single exposure	No information available.				
STOT - repeated exposur					
Target Organ Effects					
Aspiration hazard	No informatio	n available.			
Numerical measures of to	oxicity - Product Inform	ation			

Unknown Acute Toxicity1.42253% of the mixture consists of ingredient(s) of unknown toxicityThe following values are calculatedbased on chapter 3.1 of the GHS documentATEmix (oral)5294 mg/kgATEmix (dermal)21523 mg/kg mg/l

# **12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
---------------	----------------------	------	-------------------------------	-----------

# 70460 PROSOCO R-Guard® EMERGENCY WaterStop

diisononyl phthalate 28553-12-0		0.14: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.19: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Brachydanio rerio mg/L LC50 semi-static 0.17: 96 h Lepomis macrochirus mg/L LC50 static 500: 96 h Leuciscus idus mg/L LC50 static 0.14: 96 h Pimephales promelas mg/L LC50 static		500: 48 h Daphnia magna mg/L EC50 0.06: 48 h Daphnia magna mg/L EC50 Static
Persistence and degradation No information available.	ability			
<b>Bioaccumulation</b> No information available.				
Other adverse effects	No informatio	n available		
	13 DIS	POSAL CONSIDERA		
Waste treatment method	<u>ls</u>			
Disposal of wastes	Disposal shour regulations.	uld be in accordance with	applicable regional, nation	al and local laws and
Contaminated packaging	g Do not reuse	container.		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# **14. TRANSPORT INFORMATION**

DOT

Not regulated

# **15. REGULATORY INFORMATION**

International Inventories TSCA DSL/NDSL Legend:

Complies Complies

**Legena:** TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

# <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

diisononyl phthalate - X	Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
		-	X	-	-

#### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
Quartz - 14808-60-7	Carcinogen
Methanol - 67-56-1	Developmental

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Limestone 1317-65-3	X	X	X
Titanium dioxide 13463-67-7	X	X	X
Quartz 14808-60-7	X	X	X

# **16. OTHER INFORMATION**

<u>NFPA</u> <u>HMIS</u>	Health hazards 2 Health hazards 2*	Flammability 0 Flammability 0	Instability 0 Physical hazards 0	Physical and Chemical Properties - Personal protection X
Issue Date Revision Date Revision Note	02-Sep-2014 02-Sep-2014			

No information available

**Disclaimer** 

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**End of Safety Data Sheet**