# SAFETY DATA SHEET PROSOCO, Inc.



Issue Date 19-Jan-2015 Revision Date 02-Feb-2015 Version 1.01

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name Sure Klean® Dicone NC9

Other means of identification

Product Code 25001 UN/ID No UN3265

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

**8:00 AM – 5:00 PM CST Monday-Friday** 785-865-4200 **NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

## 2. HAZARDS IDENTIFICATION

#### Classification

Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Aspiration toxicity	Category 1

#### Label elements

## **Emergency Overview**

#### Danger

#### **Hazard statements**

Harmful in contact with skin

Causes severe skin burns and eye damage May be fatal if swallowed and enters airways

Appearance clear Physical state Liquid Odor Petroleum

#### **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Rinse mouth

#### **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other Information

- · May be harmful if swallowed
- Combustible liquid

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Distillates petroleum, hyrotreated light	64742-47-8	60 - 100	*
Sulfonic acid	Proprietary	5 - 10	*
Proprietary Organic Acid	Proprietary	1 - 5	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### First aid measures

General advice Immediate medical attention is required.

**Eye contact** Immediate medical attention is required. Immediately flush with plenty of water. After initial

flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye

wide open while rinsing. Do not rub affected area.

**Skin Contact** Immediate medical attention is required. Wash off immediately with plenty of water while

removing contaminated clothing and shoes. If skin irritation persists, call a physician.

**Inhalation** Move to fresh air in case of accidental inhalation of vapors or decomposition products. If not

breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician or

poison control center immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down.

Call a physician or poison control center immediately.

**Self-protection of the first aider**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** The product causes burns of eyes, skin and mucous membranes. Harmful if inhaled.

Harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Keep product and empty container away from heat and sources of ignition. Risk of ignition. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

**Environmental precautions** 

**Environmental precautions** Should not be released into the environment. Do not allow into any sewer, on the ground or

into any body of water. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. See Section 12 for additional ecological

information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly. Take precautionary measures against

static discharges.

## 7. HANDLING AND STORAGE

Precautions for safe handling

**Advice on safe handling**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation,

wear suitable respiratory equipment. Keep away from heat/sparks/open flames/hot

surfaces. — No smoking.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat. Keep in properly labeled containers. Keep out of the reach of children.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Guidelines**This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations

Ventilation systems. Brush on or apply at the lowest practical pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry surfaces. Application equipment, scaffolding, swing stages and support systems must be constructed of acid

resistant materials.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear protective gloves and protective clothing.

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Petroleum

#### **General Hygiene Considerations**

Wash contaminated clothing before reuse. When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

Odor

**ASTM D 3278** 

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid
Appearance clear

Color brown Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH pH Range 0-1

Melting point/freezing point -30 °C / -22 °F

Boiling point/boiling range No information available

Flash point 85 °C / 185 °F
Evaporation rate No information available

Flammability (solid, gas)

No information available

Flammability Limits in Air

Upper flammability limits
Lower flammability limit
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific Gravity 0.810

Water solubility partially soluble

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Exposure to air or moisture over prolonged periods. Heat, flames and sparks.

#### **Incompatible materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information Corrosive Causes severe skin burns and eye damage Harmful by inhalation and in contact

with skin

**Inhalation** Avoid breathing vapors or mists. Aspiration into lungs can produce severe lung damage.

Eye contact Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including

blindness.

**Skin Contact** Avoid contact with skin. Corrosive. Contact causes severe skin irritation and possible burns.

**Ingestion** Do not taste or swallow. Harmful if swallowed.

**Component Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates petroleum, hyrotreated light 64742-47-8	> 5000 mg/kg(Rat)	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L (Rat)4 h
Sulfonic acid	= 530 mg/kg ( Rat )	= 530 mg/kg (Rat)	-
Proprietary Organic Acid	= 500 mg/kg (Rat)	-	-

#### Information on toxicological effects

Symptoms The product causes burns of eyes, skin and mucous membranes. Harmful by inhalation and

if swallowed.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

**Chronic toxicity** Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Aspiration hazard Risk of serious damage to the lungs (by aspiration). May be fatal if swallowed and enters

airways.

#### Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 2485 mg/kg

 ATEmix (dermal)
 1609 mg/kg mg/l

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical Name	Algae/aguatic plants	Fish	Toxicity to	Crustacea
	,gue, a quante prante			0.00000
			microorganisms	
I				

Distillates petroleum, hyrotreated light 64742-47-8	-	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L	-	4720: 96 h Den-dronereides heteropoda mg/L LC50
		LC50 static		
Sulfonic acid	-	3: 96 h Oncorhynchus mykiss mg/L LC50 static	-	2.9: 48 h Daphnia magna mg/L EC50
Proprietary Organic Acid	29: 96 h Pseudokirchneriella subcapitata mg/L EC50	10.8: 96 h Oncorhynchus mykiss mg/L LC50 static 3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static		5.88: 48 h Daphnia magna mg/L EC50

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Sulfonic acid	2

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D002

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## 14. TRANSPORT INFORMATION

DOT Regulated UN/ID No UN3265

Proper shipping name Corrosive liquid, acid, organic, n.o.s. (Sulfonic Acid)

Hazard Class 8
Packing Group || |

#### 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardYesFire hazardYesSudden release of pressure hazardNoReactive HazardNo

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Proprietary Organic Acid	1000 lb	-	-	Х

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Proprietary Organic Acid	1000 lb	=	RQ 1000 lb final RQ
			RQ 454 kg final RQ

## **US State Regulations**

#### **California Proposition 65**

WARNING! This product contains a chemical known in the State of California to cause cancer This product contains chemicals known to the state of California to cause birth defects or other reproductive harm

## U.S. State Right-to-Know Regulations

# 16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 2 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 2 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

 Issue Date
 19-Jan-2015

 Revision Date
 02-Feb-2015

**Revision Note** 

SDS sections updated 2 6 7 9

#### **Disclaimer**

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**End of Safety Data Sheet**