SAFETY DATA SHEET PROSOCO, Inc.



Issue Date 25-Apr-2014 Revision Date 11-May-2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Sure Klean® Residential BrickLEAN Plus

Other means of identification

Product Code 10025 UN/ID No UN1760

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.
Uses advised against No information available

ooo aariota agamor

Details of the supplier of the safety data sheet

Manufacturer Address

PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

8:00 AM – 5:00 PM CST Monday-Friday 785-865-4200 **NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Label elements

Emergency Overview

Danger

Hazard statements

Fatal if inhaled

Causes severe skin burns and eye damage

May cause respiratory irritation



Appearance clear Physical state Liquid Odor Pungent

Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear respiratory protection

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Water	7732-18-5	60 - 100	*
Hydrogen Chloride	7647-01-0	10 - 30	*
Glycolic Acid	79-14-1	1 - 5	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

area.

Skin Contact Immediate medical attention is required. Wash off immediately with plenty of water while

removing contaminated clothing and shoes. Call a physician.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. Call a physician or poison control center immediately.

Ingestion Immediate medical attention is required. Do NOT induce vomiting. Rinse mouth. Drink

plenty of water. Never give anything by mouth to an unconscious person. Call a physician

or poison control center immediately.

Most important symptoms and effects, both acute and delayed

Symptoms The product causes burns of eyes, skin and mucous membranes. Harmful if inhaled.

Harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Self-protection of the first aider

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up Dam up. Prevent product from entering drains. Soak up with inert absorbent material. Pick

up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation,

wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly

labeled containers. Keep out of the reach of children.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen Chloride	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm	IDLH: 50 ppm
7647-01-0		(vacated) Ceiling: 7 mg/m ³	Ceiling: 5 ppm
		Ceiling: 5 ppm	Ceiling: 7 mg/m ³
		Ceiling: 7 mg/m ³	-

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Showers. Eyewash stations. Ventilation systems. Application equipment, scaffolding, swing **Engineering Controls**

> stages and support systems must be constructed of acid resistant materials. Brush on or apply at the lowest practical pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers,

passersby, and non-masonry surfaces.

Individual protection measures, such as personal protective equipment

Tight sealing safety goggles. Face protection shield. Eye/face protection

Skin and body protection Wear protective gloves and protective clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Wash contaminated clothing before reuse. When using do not eat, drink or smoke. Keep **General Hygiene Considerations**

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

Odor

Not Applicable

Pungent

and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Liquid Physical state **Appearance** clear

No information available Color amber Odor threshold

Property Values Remarks • Method Hq 0.3 @ 1:6 Dilution

Melting point/freezing point -30 °C / -22 °F

Boiling point/boiling range No information available

Flash point

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limits
Lower flammability limit
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 1.12

Water solubility

Solubility in other solvents

Partition coefficient

Autoignition temperature

Decomposition temperature

Kinematic viscosity

Water solubility

No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods. Strong bases.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Corrosive Harmful by inhalation, in contact with skin and if swallowed

Inhalation Avoid breathing vapors or mists. Harmful by inhalation.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact Corrosive. Contact causes severe skin irritation and possible burns.

Ingestion Harmful if swallowed. Can burn mouth, throat, and stomach.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Hydrogen Chloride 7647-01-0	= 700 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 3124 ppm (Rat) 1 h
Glycolic Acid 79-14-1	= 1950 mg/kg (Rat)	-	= 7.7 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms The product causes burns of eyes, skin and mucous membranes. Harmful by inhalation and

if swallowed.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

10025 Sure Klean® Residential BrickLEAN Plus

Sensitization Germ cell mutagenicityNo information available.
No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Target Organ Effects Eyes, Respiratory system, Skin.

Aspiration hazard Risk of serious damage to the lungs (by aspiration).

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 3278 mg/kg
ATEmix (dermal) 24619 mg/kg
ATEmix (inhalation-gas) 7676 mg/l
ATEmix (inhalation-dust/mist) 0.2 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrogen Chloride 7647-01-0	-	282: 96 h Gambusia affinis mg/L LC50 static	-	-
Glycolic Acid 79-14-1	-	5000: 96 h Brachydanio rerio mg/L LC50 static	-	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Glycolic Acid	-1.11
79-14-1	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D002

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT Regulated UN/1D No UN1760

Proper shipping name Corrosive liquid, n.o.s. (Hydrochloric and Hydroxyacetic Acid)

Hazard Class 8
Packing Group ||

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Hydrogen Chloride - 7647-01-0	7647-01-0	10 - 30	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen Chloride 7647-01-0	5000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen Chloride	5000 lb	5000 lb	RQ 5000 lb final RQ
7647-01-0			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrogen Chloride 7647-01-0	Х	X	Х
Sulfuric Acid 7664-93-9	Х	X	Х

16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical

Properties -

Health hazards 3* Flammability 0 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

 Issue Date
 25-Apr-2014

 Revision Date
 11-May-2015

Revision Note

SDS sections updated 1 8 11

Disclaimer

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet