SAFETY DATA SHEET PROSOCO, Inc.

Issue Date 11-Nov-2014

Revision Date 05-Jan-2015

Version 1.01

PROSOCO

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product Name

Sure Klean® Weather Seal Blok-Guard® & Graffiti Control

Other means of identification Product Code UN/ID No

Recommended use of the chemical and restrictions on useRecommended UseRestricted to professional users.Uses advised againstNo information available

40093

UN1866

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)

785-865-4200 800-535-5053


2. HAZARDS IDENTIFICATION

Classification

Aspiration toxicity	Category 1
Flammable liquids	Category 3

Label elements

Emergency Overview



Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/ .? /equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Acetic acid vapors form as by-product following hydrolysis reaction with water or humid air.

Other Information

May be harmful if swallowed

May be harmful in contact with skin

Causes mild skin irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Naphtha (petroleum), hydrotreated heavy	64742-48-9	60 - 100	*
Polydimethyl siloxane diol	70131-67-8	5 - 10	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice	Immediate medical attention is required. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If symptoms persist, call a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Skin Contact	Wash off immediately with plenty of water. If skin irritation persists, call a physician.

Note to physicians	Treat symptomatically.	
Indication of any immediate medical attention and special treatment needed		
Symptoms	May be fatal if swallowed and enters airways. May be harmful if inhaled. May be harmful if swallowed. Mild skin irritant.	
Most important symptoms and effects, both acute and delayed		
Self-protection of the first aider	Remove all sources of ignition. Use personal protective equipment as required.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician.	
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If symptoms persist, call a physician.	

<u>Suitable Extinguishing Media</u> Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment as required.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Use clean non-sparking tools to collect absorbed material. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges. Ground and bond containers when transferring material.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray.
Conditions for safe storage, includ	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers. Keep away from heat.

Incompatible materials

Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Naphtha (petroleum), hydrotreated heavy 64742-48-9	100 ppm	500 ppm	-
NIOSH IDLH Immediately Dangerous	to Life or Health		
Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).		
Appropriate engineering controls			
Engineering Controls	Showers Eyewash stations Ventilation systems. Ground/bond container and receiving equipment.		
Individual protection measures, suc	h as personal protective equi	ipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin and body protection	Wear protective gloves and pr	otective clothing.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.		lied air respirators may be
General Hygiene Considerations	When using do not eat, drink or clothing is recommended.	or smoke. Regular cleaning of e	quipment, work area and
9	. PHYSICAL AND CHEM	ICAL PROPERTIES	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

40093 Sure Klean® Weather Seal Blok-Guard® & **Graffiti Control**

Melting point/freezing point-30 °C / /Boiling point/boiling rangeNo informaFlash point38 °C / 1Evaporation rateNo informaFlammability (solid, gas)No informaFlammability Limits in AirUpper flammability limitsUpper flammability limitNo informaVapor pressureNo informaVapor density.802Water solubility.802Water solubility in other solventsNo informaPartition coefficientNo informaAutoignition temperatureNo informaDecomposition temperatureNo informaKinematic viscosityNo informaDynamic viscosityNo informaExplosive propertiesNot Applica	Physical state Appearance Color	Liquid clear colorle colorless
Upper flammability limitsNo informationLower flammability limitNo informationVapor pressureNo informationVapor densityNo informationSpecific Gravity.802Water solubilitynegligibleSolubility in other solventsNo informationPartition coefficientNo informationAutoignition temperatureNo informationDecomposition temperatureNo informationKinematic viscosityNo informationDynamic viscosityNo informationExplosive propertiesNot Application	PH Melting point/freezing point Boiling point/boiling range Flash point Evaporation rate Flammability (solid, gas)	Values Not Applica -30 °C / -2 No informat 38 °C / 10 No informat No informat
Vapor pressureNo informatVapor densityNo informatSpecific Gravity.802Water solubilitynegligibleSolubility in other solventsNo informatPartition coefficientNo informatAutoignition temperatureNo informatDecomposition temperatureNo informatKinematic viscosityNo informatDynamic viscosityNo informatExplosive propertiesNot Applicat	Upper flammability limits	No informat No informat
Solubility in other solventsNo informaPartition coefficientNo informaAutoignition temperatureNo informaDecomposition temperatureNo informaKinematic viscosityNo informaDynamic viscosityNo informaExplosive propertiesNot Applica	Vapor pressure Vapor density Specific Gravity	No informat No informat .802
Decomposition temperatureNo informaKinematic viscosityNo informaDynamic viscosityNo informaExplosive propertiesNot Applica	Solubility in other solvents Partition coefficient	No informat No informat No informat No informat
	Decomposition temperature Kinematic viscosity Dynamic viscosity	No informat No informat No informat
		Not Applica

ess

able 22 °F ation available 00 °F ation available ation available

ation available ation available ation available ation available ation available ation available ation available ation available ation available ation available able able ۱h

Odor Odor threshold

Petroleum No information available

Remarks • Method Not Applicable

ASTM D 3278

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Incompatible with oxidizing agents.

Hazardous Decomposition Products

Acetic acid. silicon dioxide. Carbon oxides. Unidentified organic compounds.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	May be fatal if swallowed and enters airways May be harmful by inhalation, ingestion, or skin absorption
Inhalation	Avoid breathing vapors or mists. May be harmful if inhaled. Aspiration into lungs can produce severe lung damage.

Eye contact	Avoid contact with eyes. May cause irritation.
Skin Contact	Avoid contact with skin. May be absorbed through the skin in harmful amounts. May cause irritation.
Ingestion	Do not taste or swallow. May be fatal if swallowed. Potential for aspiration if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha (petroleum), hydrotreated heavy 64742-48-9	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms	May be fatal if swallowed and enters airways. May be harmful if inhaled. May be harmful if
	swallowed. Mild skin irritant.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.		
Reproductive toxicity	No information available.		
STOT - single exposure	No information available.		
STOT - repeated exposure	No information available.		
Target Organ Effects	central nervous system, Eyes, Respiratory system, Skin.		
Aspiration hazard	May be fatal if swallowed and enters airways.		

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity			
The following values are cal	ulated based on chapter 3.1 of the GHS document		
ATEmix (oral)	4446 mg/kg		
ATEmix (dermal)	3508 mg/kg mg/l		

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Naphtha (petroleum), hydrotreated heavy 64742-48-9	-	2200: 96 h Pimephales promelas mg/L LC50	-	2.6: 96 h Chaetogammarus marinus mg/L LC50

Persistence and degradability

No information available.

Bioaccumulation No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT	Not regulated (If shipped in NON BULK packaging by ground transport)
UN/ID No	UN1866
Proper shipping name	Resin Solution
Hazard Class	3
Packing Group	III

IATA	
UN/ID No	UN1866
Proper shipping name	Resin Solution
Hazard Class	3
Packing Group	111
IMDG_	
UN/ID No	UN1866
Proper shipping name	Resin Solution
Hazard Class	3
Packing Group	III

15. REGULATORY INFORMATION

International Inventories TSCA DSL/NDSL

Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

		16. OTHER INFORMATION					
alth hazards 3	Flammability 2	Instability 0	Physical and Chemical Properties -				
alth hazards 3*	Flammability 2	Physical hazards 0	Personal protection X				
Regulatory Department 11-Nov-2014 05-Jan-2015							
	alth hazards 3* Regulator 11-Nov-2	alth hazards 3* Flammability 2 Regulatory Department 11-Nov-2014	alth hazards 3* Flammability 2 Physical hazards 0 Regulatory Department 11-Nov-2014				

Disclaimer

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet