

# Sika Corporation Material Safety Data Sheet

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### Material Identification

Product Name:	SIKAGARD 215
Product Use:	Paint product.
Print date:	03/Dec/2008
Revision Date:	03/Dec/2008

**Company Identification** Sika Corporation 201 Polito Avenue Lyndhurst, NJ 07071 Manufacturer's Phone:

1-201-933-8800

24-Hour Medical Emergency Phone CHEMTREC- In US: 1-800-424-9333; International: 703-527-3887

# 2. COMPOSITION / INFORMATION ON HAZARDOUS INGREDIENTS

Common Name CAS-No.	Approx. Weight %	Chemical name
MODIFIED EPOXY RESIN	55 - 60	MODIFIED EPOXY RESIN
TITANIUM DIOXIDE 13463-67-7	15 - 20	Titanium dioxide
ALKYL GLYCIDYL ETHER 68609-97-2	5 - 10	Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
NONYLYPHENOL	5 - 10	Nonylphenol
PROPRIETARY INERT	1 - 5	PROPRIETARY INERT
PROPRIETARY INERT	1 - 5	Silica gel, pptd., crystfree

If this section is blank there are no hazardous components per OSHA guidelines.

# 3. HAZARDS IDENTIFICATION

### Primary Routes of Exposure:

Inhalation Ingestion Skin absorption

**Emergency Overview:** This section not in use.

This product contains ingredients that may contribute to the following potential acute health effects:

#### Inhalation Effects:

May cause respiratory tract sensitization. May cause respiratory tract irritation

**Eye Contact:** May cause eye irritation

#### Skin Contact:

Contains a component which is a known or suspected skin sensitizer. May cause skin irritation.

#### Acute Ingestion:

May be harmful if swallowed.

#### Other Effects:

None known

#### This product contains ingredients that may contribute to the following potential chronic health effects:

Possible sensitization. Possible cancer hazard. Contains ingredients which may cause cancer based on animal data. Risk of cancer depends on duration and level of exposure.

See Section 11 for toxicological information about Mutagens, Teratogens and Carcinogens.

If this section is blank, no information is available.

### 4. FIRST AID MEASURES

#### Inhalation:

If affected by inhalation, move victim to fresh air. If symptoms persist, seek medical attention. If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

#### **Eye Contact:**

In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

#### Skin Contact:

In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. If irritation persists get medical attention. Remove contaminated clothing and launder before reuse. Remove contaminated shoes and discard.

#### Ingestion:

If swallowed, get medical attention immediately. If swallowed, do not induce vomiting. Give large quantities of water. If available, give several glasses of milk. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Medical conditions aggravated by exposure: Any respiratory or skin condition.

### 5. FIRE FIGHTING MEASURES

Flash point (Fahrenheit): Lower explosive limit: Upper explosive limit: Autoignition temperature: Sensitivity to impact: Sensitivity to static discharge: Hazardous combustion products: 238° F (114° C) TCC/PM Not available. % Not available. % Not available. ° F (° C) No. Sensitivity to static discharge is not expected. See Section 10.

# Unusual fire and explosion hazards:

None known.

#### Extinguishing media:

Carbon dioxide, dry chemical, foam and/or water fog.

#### Fire fighting procedures:

Use water spray to cool nearby containers and structures exposed to fire.

# 6. ACCIDENTAL RELEASE MEASURES

Action to be taken if material is released or spilled: Avoid all personal contact.

# 7. HANDLING AND STORAGE

#### Precautions to be taken in handling and storage:

Keep container closed when not in use.

# 8. PERSONAL PROTECTIVE EQUIPMENT AND EXPOSURE CONTROLS

#### **Personal Protective Equipment**

#### Eye and face protection:

Avoid contact with eyes. Wear chemical goggles if there is the possibility of contact or splashing in the eye.

#### Skin protection:

Gloves: Neoprene or other nonporous. Neoprene or plastic apron and protective clothing covering exposed skin areas.

#### **Respiratory protection:**

If exposure cannot be controlled below applicable limits, use the appropriate NIOSH approved respirator such as an air purifying respirator with organic vapor cartridge and dust/mist filter. Consult the respirator manufacturer's literature to ensure that the respirator will provide adequate protection. Read and follow all respirator manufacturer's instructions.

#### Ventilation

Required when spraying or applying in confined area.

#### Exposure Guidelines

#### **OSHA Permissible Exposure Limits (PEL's)**

Common Name CAS-No.	Approx. Weight %	TWA (final)	Ceilings limits (final)	Skin designations
TITANIUM DIOXIDE 13463-67-7	15 - 20	15 mg/m <sup>3</sup> Total dust.		
PROPRIETARY INERT	1 - 5	5 mg/m <sup>3</sup> Respirable fraction.		
		15 mg/m <sup>3</sup> Total dust. Respirable fraction.		
		Listed. Total dust. Listed.		

#### ACGIH Threshold Limit Value (TLV's)

	Approx. Weight %	TWA	STEL	Ceiling limits	Skin designations
TITANIUM DIOXIDE 13463-67-7	15 - 20	10 mg/m³			
PROPRIETARY INERT	1 - 5	10 mg/m³			

If this section is blank, no information is available.

# 9. PHYSICAL PROPERTIES

Odor: Physical State: pH: Vapor pressure: Vapor density (air = 1.0): Boiling point: Solubility in water: Coefficient of water/oil distribution: Density (lbs per US gallon): Specific Gravity: Evaporation rate (butyl acetate = 1.0):

# 10. STABILITY AND REACTIVITY

Stability: Conditions to Avoid: Incompatibility: Hazardous Polymerization: Hazardous Decomposition Products: Normal for this product type. Liquid Not determined. 1 mmHG @ 68° F ( 20° C) Not determined. 560° F ( 293° C) Insoluble. Not determined. 11.39 1.37 Not determined.

Stable None known. None known. None anticipated. Carbon monoxide and carbon dioxide. Metal oxide fumes.

Sensitivity to static discharge is not expected.

Sensitivity to static discharge:

# **11. TOXICOLOGICAL INFORMATION**

Mutagens:

#### Teratogens:

#### Carcinogens:

Contains TIO2 which is listed by IARC as a possible human carcinogen (Group 2B) based on animal data. Neither long term animal studies, nor human epidemiology studies of workers exposed to TIO2 provide an adequate basis to conclude TIO2 is carcinogenic. TIO2 is not classified as a carcinogen by NTP, U.S. OSHA, or the U.S. EPA.

	Approx. Weight %	IARC Group 2A - Limited Human Data	IARC Group 2B - Sufficient Animal Data
TITANIUM DIOXIDE 13463-67-7	15 - 20		2B Possible Carcinogen

If this section is blank, no information is available.

# 12. ECOLOGICAL DATA

Not available at this time.

# 13. DISPOSAL CONSIDERATIONS

Disposal should be made in accordance with federal, state and local regulations.

# 14. TRANSPORTATION INFORMATION

#### **U.S. Department of Transportation**

Proper Shipping Name: Not regulated

# 14. TRANSPORTATION INFORMATION

#### **U.S. Highway & Rail Shipments**

The supplier may apply one of the following exceptions: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49CFR Hazmat Regulations. Please consult 49CFR Subchapter C to ensure that subsequent shipments comply with these exceptions.

#### International Air Transport Association:

Proper Shipping Name: Not regulated

#### International Maritime Organization:

Proper Shipping Name: Not regulated

### **15. REGULATORY INFORMATION**

### U.S. FEDERAL REGULATIONS:

SARA 311/312 Hazard Class:	
Acute:	Yes
Chronic:	Yes
Flammability:	No
Reactivity:	No
Sudden Pressure:	No

### **U.S. STATE REGULATIONS:**

Pennsylvania Right To Know: PROPRIETARY RESIN PROPRIETARY ADDITIVE ALKYL GLYCIDYL ETHER PROPRIETARY INERT PROPRIETARY INERT TITANIUM DIOXIDE

Trade Secret Trade Secret 68609-97-2 Trade Secret Trade Secret 13463-67-7

#### Rule 66 status of product

Not photochemically reactive.

#### **INTERNATIONAL REGULATIONS - Chemical Inventories**

TSCA Inventory:	This product does not comply with TSCA Inventory Requirements.

Canada Domestic Substances List:

Not all components in this product are listed on the Domestic Substances List.

### **16. OTHER INFORMATION**

HMIS Codes	
Health:	3*
Flammability:	1

**Page** 5/6

### **16. OTHER INFORMATION**

Reactivity:	
PPE:	

0 C

#### Abbreviations:

OSHA - Occupational Safety and Health Administration, IARC - International Agency for Research on Cancer, NIOSH -National Institute of Occupational Safety and Health, NTP - National Toxicology Program, ACGIH - American Conference of Governmental Industrial Hygienists, SCAQMD - South Coast Air Quality Management District, TSCA - Toxic Substances Control Act, IATA - International Air Transport Association, IMO - International Maritime Organization, DOT -Department of Transportation, NA - Not applicable, NOT ESTAB - Not established, N.A.V. - Not available, RQ -Reportable quantity, WT - Weight, MG/CU M - Milligrams per cubic meter, G/L - Grams per liter, MM - Millimeters, MPPCF - Millions of particles per cubic foot, PPM - parts per million, PPT - parts per thousand, TCC/PM - Tag closed cup / Pensky-Martens, PB - Lead, PEL - Permissible exposure level, TWA - Time Weighted Average, STEL - Short term exposure limit, C - Celsius, F - Fahrenheit.

#### Disclaimer:

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sikacorp.com or 201-933-8800.

The information contained in this Material Safety Data Sheet applies only to the actual Sika Corporation ("Sika") product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Technical Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section 1 of this MSDS.