W. R. MEADOWS.



SAFETY DATA SHEET

								Page 1 of 2					
		SECTION 1: PRC	DUCT AND CC	MPANY ID	ENTIFICATION								
Product:	CR-90			Part Numb	Part Number: 4227000								
Manufacturer:	W. R. Mead	R. Meadows [®] , Inc.			Address: 300 Industrial Drive								
		,			Hampshire, Ill	inois 6014	0						
Telephone:	(847) 214-2100)		In case of e	emergency, dial	(800) 424-9	300 (CHEMTREC)						
Revision Date:	9/9/2014												
Product Use:	Hot-Applied Joi					·c							
SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS HMIS HAZARD STATEMENTS													
Health	1	WARNING!	ENTS			$\mathbf{\wedge}$							
Flammability	11	Causes skin irritat	ion										
Reactivity		PRECAUTIONARY											
Personal Protection	Avoid direct contact with heated material.												
Avoid inhalation of fumes.													
		SECTIO	N 3: HAZARD										
			% by	SARA	Vapor Pre		LEL						
<u>Chemical Name</u>	<u>.</u>	CAS Number	<u>Weight</u>	<u>313</u>	<u>(mm Hg@</u>		<u>@25°C)</u>						
 Petroleum Asphalt Petroleum Oil Base Stock 		8052-42-4 64742-65-0	65-70	No	N/A N/A		N/A						
3. Limestone		1317-65-3	1-5 10-15	No No	N/A		0.9 N/A						
Under the reporting requirer	nents of Section					tion Act of		0 CFR					
Part 372, chemicals listed on							N/A = Not Appl						
		SECTION 4: EM											
EYE CONTACT: Not expected	d to be an exposi	ure route as suppli	ed. If contact wi	th molten m	aterial occurs, s	eek immed	iate medical atten	tion.					
SKIN CONTACT: Wash affect	ed areas with so	ap and water if ava	ailable. If contact	t with hot, m	olten material o	occurs, coo	l affected area wit	n water.					
Do not attempt to remove co	ongealed solid. D	o not use petroleu	im solvents to re	move solids	adhered to skin	. Seek imm	ediate medical att	ention.					
INHALATION: Not expected	to be an exposu	re route as supplie	d. If irritation oc	curs due to e	exposure to fum	es produce	ed by hot molten p	roduct,					
move victim from exposure s	source and treat	symptomatically. I	f symptoms pers	sist, seek me	dical attention.								
INGESTION: Not expected to	o be an exposure												
			: FIRE AND EX	PLOSIVES H	IAZARDS								
FLASHPOINT: Not applicable													
EXTINGUISHING MEDIA: Wa													
CHEMICAL/COMBUSTION H													
PRECAUTIONS/PERSONAL P		IPMENT: Avoid sn	noke inhalation.	Hot materia	l may spatter if	hit by a dire	ect stream of wate	r. Use					
appropriate personal protect	tive equipment.												
			ACCIDENTAL	-									
SPILL OR LEAK PROCEDURES	: Not applicable	e. Product is a solid	. If molten mate	rial is spilled	, avoid direct co	ntact. Allov	w material to cool	and					
landfill dispose.		SECTION	N 7: HANDLIN		DACE								
SAFE HANDLING PROCEDUR	ES: Avoid direct		N 7: HANDLIN	G AND STU	KAGE								
SAFE STORAGE: Prevent job		contact.											
SALE STORAGE. Prevent job		ECTION 8: EXPOS			AL PROTECTIO	N							
	JL	OSH/					ACGIH						
Chemical Name:	PEL	PEL/CEILING	PEL/STEL	SKIN	TLV	TLV/CEIL		<u>SKIN</u>					
1. Petroleum Asphalt	5 mg/m ³ *	N/E	N/E	No	0.5 mg/m ³ *	N/E	N/E	N/E					
2. Petroleum Oil Base Stock	N/E	N/E	N/E	No	5 mg/m^3 +	, N/E	N/E	N/E					
3. Limestone	N/A	N/A	N/A	No	N/A	N/A	N/A	N/A					
*: Asphalt Fumes		N/A Dil Mist in Air		NO Not Establi	•	IN/A	IN/A	N/A					
ENGINEERING CONTROLS: 1				NOLESLUDI	ISHEU								
PERSONAL PROTECTIVE EQU													
	and the state of t	Biasses, chemical	i constant giuves.										

SAFETY DATA SHEET										
Date of Preparation:	9/9/14	.4 Page 2 of 2								
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES										
BOILING POINT: N/A	V	APOR DENSITY: N/A		% VOLATILE BY VOLUME: N/A						
EVAPORATION RATE: N/A	р	H LEVEL: N/A		% VOLATILE BY WEIGHT: N/A						
WEIGHT PER GALLON: N/A	P	RODUCT APPEARANCE: BI	ack Solid	VOC CONTENT: N/A						
SECTION 10: STABILITY/REACTIVITY										
STABILITY: Stable.	н	AZARDOUS POLYMERIZAT	ION: Will not occ	cur.						
CONDITIONS AND MATERIA	ALS TO AVOID: Nor	ne recognized.								
HAZARDOUS DECOMPOSIT	ION PRODUCTS: No	one recognized.								
	SECTION 11: TOXICOLOGICAL INFORMATION									
EYE CONTACT: Direct contact may cause mild irritation. Contact with heated material may cause severe burns.										
SKIN CONTACT: Direct contact may cause slight skin irritation. Contact with heated material may cause severe burns.										
			nay emit fumes. E	exposure to fumes may result in respiratory irritation.						
INGESTION: Not anticipated to be an exposure route.										
SIGNS AND SYMPTOMS: Symptoms of eye irritation include tearing, reddening, and swelling. Symptoms of skin irritation include redness and										
swelling. Gastrointestinal irritation symptoms include nausea, vomiting, and abdominal discomfort. Symptoms of respiratory irritation include										
runny nose, sore throat, coughing, chest discomfort, shortness of breath, and reduced lung function.										
AGGRAVATED MEDICAL CONDITIONS: Pre-existing skin, eye, and respiratory disorders may be aggravated by exposure to this product.										
OTHER HEALTH EFFECTS: ACGIH classifies asphalt as Not Classifiable as a Human Carcinogen; A4.										
SECTION 12: ECOLOGICAL INFORMATION										
ECOTOXICITY	•	DEGRADAB	,	BIOACCUMULATIVE POTENTIAL: N/E						
SOIL MOBILITY: N/E OTHER ADVERSE EFFECTS: None Recognized										
SECTION 13: WASTE DISPOSAL INFORMATION										
WASTE DISPOSAL INFORMATION: Landfill disposal.										
		SECTION 14: TRANSP	ORTATION INFO	DRMATION						
HAZARDOUS/NON-HAZARI										
UN NUMBER: None.	H	AZARD CLASS: N/A	PAC	CKING GROUP: N/A						
UN PROPER SHIPPING NAM	1E: N/A									
ENVIRONMENTAL HAZARD	0									
BULK TRANSPORTATION II		one.								
SPECIAL PRECAUTIONS:	None.			ΜΑΤΙΟΝ						
SECTION 15: REGULATORY INFORMATION										
OTHER REGULATORY CONS	IDERATIONS: N	one recognized.		TION						
	0/0/2014	SECTION 16: OT	HER INFORMA	HON						
PREPARATION DATE:	9/9/2014									
PREPARED BY:	Dave Carey									

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.